


柔 360°
Lighting Tube.....





KLM-RG13D/
A ϕ 13mm
13W/M



KLM-RG20D/
A ϕ 20mm
15W/M



KLM-RG23
D ϕ 23mm
15W/M



KLM-RG31
D ϕ 31mm
18W/M



KLM-RG35
D ϕ 35mm
18W/M



KLM-RG41
D ϕ 41mm
23W/M

360° Lighting Tube
DC24V, max 10M, Free cut size

Flexible tube.....






360° Lighting Tube ●



- Good light transmittance
- High refractive index
- No light spot
- Free cut size
- Uniform luminescence

Accessories


<p>Silicone cap  $\phi 25 \times 14\text{mm}$</p>	<p>Suspended ring  $\phi 30 \times 15\text{mm}$</p>
<p>Aluminum cap  $\phi 28 \times 25\text{mm}$</p>	<p>Suspended Pole/Aluminum cap with cable  $\phi 28 \times 25\text{mm}$ (Waterproof Screw 18mm)</p>
<p>Trimless kits  Size: $\phi 60 \times 20\text{mm}$ Cut hole size: $\phi 45 \times 50\text{mm}$</p>	<p>Recessed kits  Size: $\phi 60 \times 20\text{mm}$ Cut hole size: $\phi 45 \times 50\text{mm}$</p>



360° Lighting Tube- $\phi 23$

Item no. : KLM-RG23D/L1000/15
 WSize : $\phi 23 \times L 1000\text{mm}$
 Length : max 10M
 Acrylic + fumed silica gel
 Body color: White
 Suspended/Surface mounted
 Voltage: DC 24V
 LEDs : OSRAM 2835
 Beam angle : 360°
 CRI: ≥ 90
 Power: 15W/M
 CCT: 3000K/4000K/6000K/R/G/B





360° Lighting Tube ●

- Good light transmittance
- High refractive index
- No light spot
- Uniform luminescence
- Free cut size



Suspended

Pole



Embedded

Recessed

Trimless



360° Lighting Tube- φ31

Item no. : KLM-RG31D/L1000/18
 WSize : φ31*L1000mm
 Length : max 10M
 Acrylic + fumed silica gel
 Body color: White
 Suspended/Surface mounted
 Voltage: DC24V
 LEDs : OSRAM 2835
 Beam angle : 360°
 CRI: ≥90
 Power: 18W/M
 CCT : 3000K/4000K/6000K/R/G/B



Accessories

Silicone cap



φ33*14mm

Silicone cap with cable



φ33*24mm

Suspended ring



φ36*15mm

Aluminum cap



φ36*30mm

Aluminum cap with cable



φ36*30mm (Waterproof Screw 18mm)

Suspended Pole



L1000mm

Trimless kits



Size: φ70*20mm
 Cut hole Size: φ50*55mm

Recessed kits



Size: φ70*20mm
 Cut hole Size: φ50*55mm

Suspended kits



L1000mm

360° Lighting Tube ●

- Good light transmittance
- High refractive index
- No light spot
- Uniform luminescence
- Free cut size


360° Lighting Tube- ϕ 35

Item no. : KLM-RG35D/L1000/18
 WSize : ϕ 35 * L 1000 mm
 Length : max 10M
 Acrylic + fumed silica gel
 Body color: White
 Suspended/Surface mounted
 Voltage : DC 24V
 LEDs : OSRAM 2835
 Beam angle : 360°
 CRI : \geq 90
 Power : 18W/M
 CCT : 3000K/4000K/6000K/R/G/B



360° Lighting Tube ●

- Good light transmittance
- High refractive index
- No light spot
- Uniform luminescence
- Free cut size



360° Lighting Tube- φ 41

Item no. : KLM-RG41D/L1000/23
 WSize : φ 41*L1000mm
 Length : max 10M
 Acrylic + Iumed silica gel
 Body color: White
 Suspended/Surface mounted
 Voltage : DC24V
 LEDs : OSRAM 2835
 Beam angle : 360°
 CRI : ≥ 90
 Power : 23W/M
 CCT : 3000K/4000K/6000K/
 R/G/B/RGB



Accessories

<p>Silicone cap φ 42*14mm</p>	<p>Suspended ring φ 48*15mm</p>
<p>Aluminum cap φ 44*30mm</p>	<p>Suspended Pole/Aluminum cap with cable φ 44*30mm (Waterproof Screw 8mm)</p>
<p>Trimless kits Size : φ 80*20mm Cut hole Size : φ 60*55mm</p>	<p>Recessed kits Size : φ 80*20mm Cut hole size : φ 60*55mm</p>

Suspended kits L1000mm



Flexible tube.....

DC24V安全电压

